



型 号	3CQ55-850
外形尺寸(长×宽×高)	1900×1100×1140mm
割 幅	85cm
割茬高度	5-10cm
整机重量	220kg
配套动力型号/功率	GB30G (5.5Kw 汽油手启动)
配套动力转速	1800rpm
结构形式	甩刀式
刀座数量	22*3 组
刀片数量	66 把 (44 把弯 22 把直)
转向器形式	啮合套式
档 位	前进三速, 后退一速
橡胶履带	180 mm



型 号	3CQ66-850
外形尺寸(长×宽×高)	1900×1100×1140mm
割 幅	850 mm
割茬高度	5-10cm
整机重量	238kg
配套动力型号/功率	CF186FSE (6.6kW 柴油电启动)
启动方式	电启动
结构形式	甩刀式
刀座数量	22*3 组
刀片数量	66 把 (44 把弯 22 把直)
转向器形式	啮合套式
档 位	前进三速, 后退一速
橡胶履带宽度	180mm



Model	3CQ55-850
Overall size	1900×1100×1140mm
Work width	850 mm
Cutting height	5-10cm
Net weight	220 KG
Engine power	GB30G (5.5Kw gas engine)
Start type	Recoil start
Structural style	Flail knife
Cutterblock quantity	22*3 group
Blades quantity	66 pc
Steering type	Engaging sleeve type
Gearbox	F3 + R1
Rubber track width	180 mm



Model	3CQ66-850
Overall size	1900×1100×1140mm
Work width	850 mm
Cutting height	5-10 cm
Net weight	238 kg
Engine power	CF186FSE (6.6Kw diesel engine)
Start type	Electric
Structural style	Flail knife
Cutterblock quantity	22*3 group
Blades quantity	66 pc
Steering type	Engaging sleeve type
Gearbox	F3 + R1
Rubber track width	180 mm