

# 产品使用说明书

## Product Instruction

产品型号：YX-007-HB

Product Model: YX-007-HB

天津市英讯科技有限公司

# 目录

一、认识设备 Introduction of Equipment.....	3
1、设备部件清单 List of Product.....	3
2、设备部件介绍 Introduction of Equipment Units.....	4
二、使用操作说明 Instructions.....	6
1、使用方法 Usage method.....	6
2、电池充电接线图 Battery charging wiring diagram.....	7
三、设备现场布置安装范例 Installation Example of Equipment Field Arrangement.....	8
1、布置方法 Layout method.....	8
2、应用场合 Applications.....	9
四、技术参数 Technical Parameters.....	10
五、测试注意事项 Testing and precaution.....	12
六、安全注意事项 Safety Cautions.....	13
七、温馨提示 Warm Warning.....	14
八、演示视频地址 Website of Demo Video.....	14
保修卡.....	15
注意事项.....	16

## 一、认识设备 Introduction of Equipment

### 1、设备部件清单 List of Product

**YX-007-HB 主机 1 台**  
**One YX-007-HB host**



**12V 5A 电源适配器 1 个**  
**One 12V 5A power adapter**

## 2、设备部件介绍 Introduction of Equipment Units

YX007-HB 主机

YX-007-HB host




图 1 Figure 1



**YX-007-HB 前端的信号发射端子**

**YX-007-HB front-end signal transmitting terminal**

**图 2 Figure**



## 二、使用操作说明 Instructions

### 1、使用方法 Usage method

(1) 使用时手包拉链位置 (参考图如下)

Zipper position of handbag when using (refer to the figure below)



(2) 顺时针旋转电源开关功率调节旋钮, 工作指示灯 (红灯) 亮起, 屏蔽功能开启 (参考图 1)

Turn the power adjustment knob of the power switch clockwise, the working indicator light (red light) will be on, and the shielding function will be on (refer to Fig. 1)

(3) 建议进入谈话环境前开启手包式录音屏蔽器, 访客更佳不易察觉, 隐蔽性更好, 使得屏蔽器工作时与谈话环境更契合!

It is suggested to turn on the hand bag type recording screen before entering the conversation environment, so that the visitors are more difficult to detect and the concealment is better, which makes the shielding work more suitable for the conversation environment!

(4) 调节功率 (参考图 1) Power adjusting knob (refer to figs.1)

根据使用环境的距离和角度调节电源开关及功率调节旋钮, 达到当前使用环境下最佳效果。(旋钮顺时针旋转功率变大, 逆时针旋转功率变小)

According to the distance and angle of the use environment, adjust the power switch and power adjustment knob to achieve the best effect under the current use environment. (the knob rotates clockwise with greater power and counterclockwise with less power).

具体使用情况也可参考以下视频

**For specific usage, please refer to the following videos**

<https://cloud.video.taobao.com/play/u/3694981476/p/1/e/1/t/1/272714993215.swf>

<https://cloud.video.taobao.com/play/u/3694981476/p/1/e/6/t/1/272714993215.mp4>

(5) 屏蔽器正对着访客并且距离访客越近效果越好！

**The closer the shield is to the visitors, the better!**

(6) 逆时针旋转功率调节旋钮，关闭设备（即工作指示灯（红灯）熄灭）。

Turn off the equipment, turn off the remote control first, then turn off the power supply of the main engine. (That is, the working indicator light (red light) is off) .

## 2、电池充电接线图 Battery charging wiring diagram



**指示灯变绿色  
即为充电完成  
When the  
indicator  
light turns  
green, the  
charging is  
completed**

**通电指示灯亮起  
Power on indicator lights up**

## 电池充电接线图

Battery charging wiring diagram

**图 3 Figure 3**

**注意：电池充电器前应先关闭设备**

**Note: turn off the device before battery charger**

## 三、设备现场布置安装范例 Installation Example of Equipment Field Arrangement

### 1、布置方法 Layout method

YX-007-HB 录音屏蔽器摆放说明  
YX-007-HB recording shield placement instructions

**摆放原则参考视频**

**Placement principle reference video**

<https://cloud.video.taobao.com//play/u/3694981476/p/1/e/1/t/1/272714993215.swf>

<https://cloud.video.taobao.com//play/u/3694981476/p/1/e/6/t/1/272714993215.mp4>

YX-007-HB 放置完毕，用录音设备测试，并调节功率旋钮，以达到最佳屏蔽效果为宜。

YX-007-HB is placed, tested with recording equipment and adjusted power knob to achieve the best shielding effect.

**注：更多现场布置方法请咨询经销商**

**Note: For more on-site layout methods, please consult the distributor.**



## 2、应用场合 Applications

此款录音屏蔽器是天津市英讯科技有限公司在通过大量的市场调研和根据客户需求的基础上研发的一款新型高科技产品。手包式录音屏蔽器外形与常用的手包无异，使用时不会被察觉到是一款录音屏蔽器，具有很好的隐蔽性。手包式录音屏蔽器有 8 个超声波发射端子，从而隐蔽的保证您的谈话内容不被泄露。适用于小型会议室、洽谈室、办公室等灵活场景。

This recording screen is a new high-tech product developed by Tianjin Yingxun Technology Co., Ltd. based on a lot of market research and customer demand. The shape of the hand bag type recording screen is the same as that of the commonly used hand bag. It will not be noticed when using it. It is a sound recording shielding device with good concealment. There are 8 ultrasonic transmitting terminals in the bag type recording shield, which can ensure that your conversation content is not leaked. It is suitable for small conference room, negotiation room, office and other flexible scenes.

## 四、技术参数 Technical Parameters

项目	性能参数
屏蔽类型	手机、录音笔等声音采集设备
屏蔽范围	0.5-2m
作用角度	90~120 度
开启方式	旋钮
产品尺寸	210*140*40mm
重量	<1Kg
环境温度	-40℃~55℃
相对湿度	35~85%
电源功耗	4.8W
电池参数	12V 2000mha

<b>project</b>	<b>performance parameter</b>
Shielding type	Mobile phone, recording pen and other sound acquisition equipment
Shielding range	0.5-2m
Angle of action	120degree
Opening mode	knob
Product size	210*140*40mm
weight	<1Kg
ambient temperature	-40°C~55°C
relative humidity	35~85%
Power consumption	4.8W
Battery parameters	12V 2000mha
Power input	AC 100V~240V
Power output	DC 12V/2A
Packing instructions	protective box

## 五、测试注意事项 Testing and precaution

此产品采用射频信号屏蔽录音设备，因此开启后有稍许声响属于正常，根据年龄对声响的反应有差异，此声响对人体没有任何影响。

This product uses radio frequency signal shielding recording equipment, so a little sound after opening is normal, according to the age of the response to sound is different, this sound has no impact on the human body.

测试时要模拟真实的使用环境，用正常的音量沟通即可，不必故意提高音量，此产品兼顾本身噪声和实际的屏蔽距离采用最佳软件版本，如有特殊需求可以向我们所要特殊版本的软件！

When testing, it is necessary to simulate the real environment and communicate with normal volume without intentionally increasing the volume. This product takes into account its own noise and actual shielding distance and adopts the best software version. If there are special requirements, it can give us the special version of the software we need!

**注意：手包式录音屏蔽器的发射端子正对录音设备的时候屏蔽效果最好。**

**Notes: The best shielding effect is when the transmitting terminal of the hand bag type recording screen is facing the recording equipment.**

## 六、安全注意事项 Safety Cautions

使用前请仔细阅读以下安全注意事项：

Carefully read the following safety cautions before use:

发生以下情况请立即关闭设备，从电源插座中拔出电源适配器。

In case of the following circumstances, turn off equipment immediately and plug power adapter out of the outlet.

1. 停电或者电压不稳定

Power failure or voltage instability

2. 设备内部发出异常声音后者气味

Abnormal noise or smell from the inside of equipment

3. 电源适配器损坏

Damages to power adapter

4. 设备由于跌落、敲击、撞击而损坏

Damages to equipment due to falling off, being knocked on and being impacted

5. 任何液体或其它异物调入机壳内

Falling of any other fluid or foreign bodies into the shell



## 七、温馨提示 Warm Warning

切勿使用交流 220V、50Hz 以外的电源。

1. Don't use any other power supply other than 220V AC, 50 Hz.

切勿改装或者损坏设备及电源适配器。

2. Don't refit or damage equipment and power adapter.

切勿用其它电源适配器对设备进行充电。

3. Don't employ other power adapter to charge the equipment.

切勿以任何方式自行拆装设备，所有修理都应委托专业的技术人员。

Don't assemble and disassemble equipment in any way by yourself, and all of repair should be consigned to professional technicians.

## 八、演示视频地址 Website of Demo Video

<https://cloud.video.taobao.com/play/u/3694981476/p/1/e/1/t/1/272714993215.swf>

<https://cloud.video.taobao.com/play/u/3694981476/p/1/e/6/t/1/272714993215.mp4>

# 保修卡

## 尊敬的用户

您好！感谢您购买天津市英讯科技有限公司的产品，为了更好的为您服务，在购买产品后，请认证阅读，填写并妥善保管好此保修卡。

<b>用户名</b>		<b>联系人</b>	
<b>购买日期</b>		<b>联系电话</b>	
<b>产品名称</b>		<b>产品型号</b>	
<b>用户地址</b>			
<b>订单编号</b>			
<b>维修记录</b>	<b>日期</b>	<b>故障原因及处理情况</b>	

## 保修说明

产品若出现质量问题需要维修时，请把此保修卡与所购产品一起妥善寄回我公司提供售后维修处

## 注意事项

- 1、自您选购本产品签收首日起，凡按照使用说明书安装使用，一年内出现非人为质量问题，我们提供免费维修，一年后维修只收取维修工本费。
- 2、非本公司产品质量原因引起的质量问题，如使用不当，保管不妥，擅自拆机等原因造成的损坏，本公司维修只收取维修工本费
- 3、本产品实行一年保修，内置电池一年保修。

### 服务联系信息：

天津市英讯科技有限公司

地址：天津市南开区宾水西道 333 号万豪大厦 C-1510

电话：022-23728011

<http://www.heroley.com>